

## Safety Data Sheet

In accordance with CFR 1910.1200 (OSHA HCS)

SDS No. 150

Date of review; June 2, 2015

Product name:

Product code:

Relevant use and restrictions on use:

Manufacturer/Supplier:

Arsenic (III) oxide 11471, 11608, 17523, 18864, 90916

Research and product development Noah Technologies Corporation

I Identification of substa

1 Noah Park

San Antonio, Texas 78249-3419 Phone: 210-691-2000

Fax: 210-691-2600

Web site: www.noahtech.com

**Emergency information:** 

CHEMTREC 800-424-9300

**Emergency Overview:** 









Signal word(s):

Pictogram(s):

Hazard statements:

Precautionary statements:

Danger

Skull and crossbones Health hazard Corrosion

Environment

H300 Fatal if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage H350 May cause cancer

H410 Very toxic to aquatic life with long lasting effects

P260 Do not breathe dust or mist

P264 Wash skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P301/310/330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. P303/361/353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340/310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician

P305/351/338/310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

None Hazards not otherwise classified:

Ingredients of unknown acute toxicity:

**GHS Classification:** 

Acute toxicity, Oral - 2 Skin corrosion - 1B Serious eye damage - 1

Carcinogenicity - 1A Acute aquatic toxicity - 1 Chronic aquatic toxicity - 1

HMIS ratings (scale 0-4):

Health hazard: Flammability: 0 Physical hazard: 0

Chemical name:

Designation:

CAS number: EC number: Formula:

Synonyms:

Ingredients of known acute toxicity:

Arsenic (III) oxide

1327-53-3 215-481-4 As203

Arsenic trioxide, arsenious acid

Arsenic (III) oxide

3 Composition/Information on ingredients

4 First aid measures

After inhalation:

After skin contact:

After ingestion:

Move person into fresh air, If not breathing, give artificial respiration. Consult a physician.

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim

immediately to hospital. Consult a physician.

After eye contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water.

during transport to hospital.

Consult a physician. Show this safety data sheet to the doctor in attendance

Information for doctor: Symptoms/effects; acute and delayed:

Ingestion results in marked irritation of the stomach and intestines with nausea, vomiting, and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death. Chronic poisoning may manifest itself in different ways. There may be disturbances of the digestive system such as cramps, nausea, constitution, or diarrhea. Liver damage may occur. Disturbances of the blood, kidneys and nervous system may occur.

Immediate medical attention and special

treatment needed:

See above

Suitable and unsuitable extinguishing agents:

Special hazards caused by the material, its products of combustion or resulting gases:

Special fire fighting procedures: Unusual fire and explosion hazard: 5 Fire-fighting measures

Water spray, alcohol-resistant foam, dry chemical or carbon dioxide

6 Accidental release measures

Wear self-contained breathing apparatus and fully protective fire fighting equipment/clothing

No available data

Person-related safety precautions:

Wear respiratory protection. Avoid dust formation, Avoid breathing vapours, mist or gas. Ensure adequate

Measures for environmental protection:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

environment must be avoided.

Measures for cleaning/collecting:

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed

Avoid contact with skin and eyes, Avoid dust formation. Provide appropriate exhaust ventilation.

containers for proper disposal,

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protective equipment

7 Handling and storage

See Section 13 for information on disposal See Section 15 for regulatory information

Information for safe handling:

Information about protection against explosions and fires:

Storage requirements to be met by storerooms

and containers:

Incompatibility (avoid contact with):

No data available

Keep container tightly closed in a dry and well-ventilated place

Strong acids and oxidizers. Reacts rigorously with rubidium carbide, chlorine trifluoride, fluorine, mercury,

sodium chlorate, tannic acid, inter-halogens May decompose on exposure to moist air or water

Ventilation requirements:

Components with exposure limits that require

Further information about storage conditions:

monitoring:

8 Exposure controls/personal protection Local exhaust, chemical fume hood

OSHA PEL: TWA 0.01 mg(As)/m3

ACGIH TLV: TWA 0.01 mg(As)/m3; Target organs; liver, kidneys, skin, CNS, respiratory system, lungs Additional information: No additional data available

The usual precautionary measures for handling chemicals should be adhered to General protective and hygienic measures:

> Keep away from foodstuffs, beverages and food Instantly remove any soiled and impregnated garments Wash hands during breaks and at the end of the work

Avoid contact with the eyes and skin

Personal protective equipment:

Respiratory protection:

(Use only NIOSH or CEN approved Equipment)

Hand protection: Eye protection: Skin protection:

Additional protective equipment:

Precautionary labeling:

Filter-dust, fume, mist; respirator equipped with HEPA

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique.

Safety glasses, goggles

Completely covering work attire with full length apron

Sufficient to prevent contact. Emergency eyewash and safety shower

Wash thoroughly after handling Do not get in eyes, on skin or on clothing Do not breathe dust, vapor, mist, gas

Keep away from heat, sparks, and open flames Empty container may contain hazardous residues 9 Physical and chemical properties, and the second second

Physical state:

Powder

Color: Odor: White to off-white

Odor:

Odorless

Odor threshold; Molecular Weight (Calculated): Not determined

MOIE

197.84 Not determined

Melting point/freezing point/range:

312.3 C

Boiling point/range:

457.2 C

Sublimation temperature/start: Decomposition temperature: Flammability (solid, gas): Not determined Not determined Not determined

Flash point: Autoignition temperature: Danger of explosion: Not determined Not determined

Flammable limits:

Lower:

Not determined

Upper: Evaporation Rate: Not determined Not determined

Vapor pressure (mm Hg):

0.000001 mm Hg @ 66 C

Vapor density:

Not determined

Specific gravity: Bulk density: 3.738 Not determined

Solubility in/Miscibility with water: Partition coefficient n-octanol/water: 37 g/L @ 20 C log Pow: 5 Not determined

Viscosity: Other information:

Not determined

10 Stability and reactivity

Reactivity:

Not determined

Chemical stability:

Stable under recommended storage conditions

Possibility of hazardous reactions:

Not determined

Conditions to be avoided:

Heat, contact with incompatibles See section 7 for information on proper handling and storage

Materials to be avoided: Dangerous reactions:

Reacts rigorously with rubidium carbide, chlorine trifluoride, fluorine, mercury, sodium chlorate, tannic acid,

inter-halogens

Hazardous decomposition products:

(thermal and other)

Oxides of arsenic

11 Toxicological information

LD/LC50 values that are relevant for classification:

oral-rat LD<sub>so</sub>: 14.6 mg/kg No data available

Irritation or corrosion of skin; Irritation or corrosion of eyes; Primary irritant or corrosive effect:

No data available

Causes severe skin burns

on the skin: on the eye:

Causes serious eye damage No data available

Sensitization: Potential health effects:

May cause serious respiratory tract damage Severe imitation of the stomach and intestines

Inhalation: Ingestion: Skin:

Severe skin burns Serious eye damage

Signs and symptoms of exposure:

Ingestion results in marked imitation of the stomach and intestines with nausea, vomiting, and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma and death. Chronic poisoning may manifest itself in different ways. There may be disturbances of the digestive system such as cramps, nausea, constipation, or diarrhea. Liver damage may occur. Disturbances of the blood, kidneys and nervous system may occur.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known

EPA-A: Human carcinogen: sufficient evidence from epidemiologic studies IARC-1; Carcinogenic to humans: sufficient evidence of carcinogenicity NTP-1: Known to be carcinogenic: sufficient evidence from human studies

Carcinogen as defined by OSHA

Additional information:

Carcinogenicity:

ACGIH-A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies RTECS contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product

12 Ecotoxicological information

Toxicity:

Toxicity to fish:

Rainbow trout LC50: 21,000 ug/L:96H

invertebrates:

Daphnia magna EC50: 8.23 mg/L:24H

Toxicity to algae:

No data available

Persistence and degradability:

Toxicity to daphnia and other aquatic

Page 3 of 5

Biodegradability:

Bioaccumulative potential:

Bioaccumulation: Mobility in soil:

Recommendation:

Other adverse effects:

No data available

Bioconcentration factor (BCF): 236

No data available

Arsenic trioxide

Very toxic to aquatic life with long lasting effects

13 Disposal considerations

Consult state, local or national regulation for proper disposal Allow professional disposal company to handle waste

Must be specially treated under adherence to official regulations

14 Transport information

Disposal must be made according to official regulations

Land transport DOT



Unclean packagings recommendation:

Proper shipping name:

Technical name: DOT Hazard Class:

Subsidiary risk:

UN Identification number:

Label(s):

Packing group: Reportable quantity (RQ):

Warning label(s):

North American Emergency Response

Guidebook No.:

Notes:

151

6.1

UN1561

0.454 kg

5, 7, 12

Toxic

Air transport ICAO-TI and IATA-DGR:



Proper shipping name:

Technical name: DOT Hazard Class:

Subsidiary risk:

UN Identification number:

Label(s): Packing group:

Reportable quantity (RQ):

Warning label(s):

North American Emergency Response

Guidebook No.:

Notes:

Arsenic trioxide

6.1

UN1561

Toxic

II

0.454 kg

5, 7, 12

151

FedEx requires DOT-SP-8249

UPS Ground / FedEx Ground



Proper shipping name:

Technical name: DOT Hazard Class:

Subsidiary risk: UN Identification number:

Label(s): Packing group:

Reportable quantity (RQ): Warning label(s):

North American Emergency Response

Guidebook No.:

Notes:

Arsenic trioxide

6.1

UN1561 DOT-SP-8249

0.454 kg 5, 7, 12

151

DOT-SP-8249, MP 2A, 3 or 4, 173,212

UPS Air



Proper shipping name: Technical name:

**DOT Hazard Class:** Subsidiary risk:

UN Identification number:

Label(s): Packing group:

Reportable quantity (RQ):

Warning label(s):

North American Emergency Response

Guidebook No.:

Notes:

TSCA:

Arsenic trioxide

6.1

UN1561

DOT-SP-8249

0.454 kg 5, 7, 12

DOT-SP-8249; Max Qty 25 kg; MP 2A, 3 or 4; 173,212

## 15 Regulatory information

SARA Section 302 Extremely Hazardous components and corresponding TPQs: SARA Section 311 / 312 hazards:

SARA Section 313 components:

California Proposition 65 components:

Subject to established reporting levels; 100 lb TPQ (lower threshold), 10,000 lb TPQ (upper threshold)

Acute Health Hazard, Chronic Health Hazard

This product contains chemical(s) subject to the reporting requirements of Section 313 of the Emergency

Planning & Community Right-to-know Act of 1986 and 40CFR372

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects

or other reproductive harm

Product is listed on TSGA Inventory

## 16 Other information

The above information is accurate to the best of our knowledge. However, since data, safety standards and government regulation are subject to change and the conditions of handling and use, or misuse are beyond our control. NOAH MAKES NO WARRANTY, EITHER EXPRESSED OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should satisfy himself that he has all current data relevant to his particular use.

Review date: June 2, 2015